


HOME DECORATORS COLLECTION

INV#74751

SK18160 ELIXIR LARGE STORAGE CABINET 33"HX29"WX15.25"D


ASSEMBLY INSTRUCTIONS

Made In China



Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts, which may have come loose inside the carton during shipment. Count all parts and material present. If any parts are missing or damaged, please contact our Customer Service Department for efficient and speedy service. Please indicate the model number and code letter of part(S) needed.

IMPORTANT NOTE:Follow instructions listed below in proper sequence as numbered to assure fast,easy and correct assembly.













(7) 	(8) 	(9) 	(10) 
Tempered glass- 2PCS	Glass protector- 2PCS	Foot knob - 4PCS	Metal screw - 18PCS
(11) 	(12) 	(13) 	(14) 
Door knob - 2PCS	1-7/8" Metal screw - 2PCS	Rectangle metal plate - 2PCS	plastic anchor - 1PC
(15) 	(16) 		
1-1/2" metal screw -1PC	Plastic band - 1PC		

FIG 1




- Screw 4 foot knobs(9) onto back board (1) and front door (2)

FIG 2




- Screw panel (3) onto front door (2) with 6 PCS metal screws (10)

FIG 3




- Screw assembled piece onto back board (1) with 6 PCS metal screws (10) and adjust foot knob level

FIG 4




- Screw bottom shelf (5) onto bottom of cabinet with 4 PCS metal screw (10)

FIG 5




- Tighten door knob (9) with 1-7/8" metal screw (12) on Left door and right door.

FIG 6




- Insert 2 PCS tempered glass (7) into panel.

FIG 7




- Insert 2 PCS glass protector (8) to protect the tempered glass.

FIG 8




- Slide top cap (4) onto the top of main cabinet.

FIG 9




- Tighten one of rectangle metal plate (13) and top cap with metal screw (10) on the back of the cabinet using a Philips screwdriver.

FIG 10




- Tilt and place the shelf (6) on the shelf holder.
Be sure the bigger gap is in the front.

FIG 11



- Place the cabinet at desired position by the wall. Mark the insertion point for the plastic anchor (14) on the wall. Using the proper hardware for your wall type, drill 1/4" hole.
- Tighten another rectangle metal plate (13) to the plastic anchor (14) by using the 1-1/2" metal screw (15).

FIG 12



- Using the plastic band (16), connect two rectangle metal plates (13).